Response to Office Action of 111908

Atty Docket 114116.00032

AMENDMENTS TO THE CLAIMS

- 2 -

Listing of Claims:

1. (currently amended) An apparatus for separating and purifying nucleic acids

comprising an integral monolith structure, wherein through pores (macro-pores)

continuously extending from one end of the monolith structure to the other end and

corresponding to the sizes of nucleic acids are provided and configured so that nucleic

acids corresponding to the through pores (macro-pores) can be retained respectively by

allowing a solution containing nucleic acids to be separated to pass therethrough, wherein

the diameter range of the micropores is selected from the group consisting of diameters of

about 10 nanometers (nm) to about 100 nm, diameters of about 100 nm to about 1

micrometers (µm), diameters of about 1 µm to about 10 µm, and diameters of about 10

μm to about 100 μm.

2. (currently amended) The apparatus for separating and purifying nucleic acids

according to claim 1, wherein the monolith structure employs an inorganic material a

glass, a silica or a hybrid material containing an organic material and an inorganic

material a glass or a silica, which is a porous body having macro-pores (through pores)

penetrating from an upper surface to a lower surface.

3. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 2, wherein the porous body of the monolith structure has micro-pores

in the macro-pores.

4. (currently amended) The apparatus for separating and purifying nucleic acids

according to claim 3, wherein the porous body of the monolith structure has a macro pore

size of 1 to 100 µm and a micro-pore size of [[0]] greater than zero and less than or equal

to 100 nm.

Akr - 177909.1

Atty Docket 114116.00032

5. (previously presented) The apparatus for separating and purifying nucleic acids

- 3 -

according to claim 1, wherein a disc formed with the monolith structure is placed in a

column tube to form a monolith solid phase column.

6. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 1, wherein the apparatus employs a monolith solid phase column

formed by detachably attaching a base formed with the monolith structure to a cylindrical

body having the top and the bottom opened.

7. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 1, characterized in that the porous body of the monolith structure has

micro-pores in the macro-pores.

8. The apparatus for separating and purifying nucleic acids (currently amended)

according to claim 1, wherein the porous body of the monolith structure additionally has

a macro pore size of 1 to 100 µm and a micro-pore size of 0 to 100 nm or less.

9. (currently amended) The apparatus for separating and purifying nucleic acids

according to claim 2, wherein the porous body of the monolith structure additionally has

a macro pore size of 1 to 100 µm and a micro-pore size of 0 to 100 nm or less.

10. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 2, wherein a disc formed with the monolith structure is placed in a

column tube to form a monolith solid phase column.

11. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 3, wherein a disc formed with the monolith structure is placed in a

column tube to form a monolith solid phase column.

Ser. No. 10/597,954

Response to Office Action of 111908

Atty Docket 114116.00032

12. (previously presented) The apparatus for separating and purifying nucleic acids

- 4 -

according to claim 4, wherein a disc formed with the monolith structure is placed in a

column tube to form a monolith solid phase column.

13. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 2, wherein the apparatus employs a monolith solid phase column

formed by detachably attaching a base formed with the monolith structure to a cylindrical

body having the top and the bottom opened.

14. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 3, wherein the apparatus employs a monolith solid phase column

formed by detachably attaching a base formed with the monolith structure to a cylindrical

body having the top and the bottom opened.

15. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 4, wherein the apparatus employs a monolith solid phase column

formed by detachably attaching a base formed with the monolith structure to a cylindrical

body having the top and the bottom opened.

16. (previously presented) The apparatus for separating and purifying nucleic acids

according to claim 5, wherein the apparatus employs a monolith solid phase column

formed by detachably attaching a base formed with the monolith structure to a cylindrical

body having the top and the bottom opened.

17. (withdrawn, currently amended) A method for separating and purifying nucleic

acids comprising a step of using an integral monolith structure, wherein through pores

(macro-pores) continuously extending from one end of the monolith structure to the other

end and corresponding to the sizes of nucleic acids are provided and configured so that

nucleic acids corresponding to the through pores (macro-pores) can be retained

respectively by allowing a solution containing nucleic acids to be separated to pass

therethrough, wherein the macro-pores are selected according to the size of the nucleic acid to be purified, such that macropores having a diameter of about 10 nanometers (nm) to about 100 nm are present for separating and purifying nucleic acids of about 35 base pairs (bp) to about 300 bp, macro-pores having a diameter of about 100 nm to about 1 micrometers (µm) are present for separating and purifying nucleic acids with about 300 bp to about 3 kilobase pairs (Kbp), macro-pores having a diameter of about 1 µm to about 10 μm are present for separating and purifying nucleic acids with about 3 Kbp to about 30 Kbp, and macro-pores having a diameter of about 10 μm to about 100 μm are present for separating and purifying nucleic acids with about 30 Kbp to about 300 Kbp.

- 5 -

- 18. (withdrawn, currently amended) The method for separating and purifying nucleic acids according to claim 17, wherein the monolith structure employs an inorganic material a glass, a silica or a hybrid material containing an organic material and an inorganic material a glass or a silica, which is a porous body having macro-pores (through-pores) penetrating from an upper surface to a lower surface.
- 19. (withdrawn) The method for separating and purifying nucleic acids according to claim 17, wherein the porous body of the monolith structure has micro-pores in the macro-pores.
- 20. (withdrawn) The method for separating and purifying nucleic acids according to claim 18, wherein the porous body of the monolith structure has micro-pores in the macro-pores.